WAREHOUSE RECEIVING STANDARDS SUMMARY DST.843.002.W2 EFFECTIVE 5/28/2025



Introduction:

This document is an integral part of Taylor's Supplier Management Program and all requirements shall be adhered to for all shipments made to a Taylor Warehouse/Distribution Center, Customer or Third Party Provider. Failure to comply with the guidelines outlined in these pages will result in fees.

Each violation will be charged a \$50.00 fee plus the applicable charge shown below.

- Rework related charged at \$35.00 / hour
- Transportation related freight charges involved

See Warehouse Receiving Standards Supplement for more details.

Minimum Requirements for Shipments:

Requirements	Carton Labels	Packing Slip
Item/Form Number	Х	Х
Taylor PO Number	Х	Х
Ship-to Location		Х
Unit of Measure description (Each, Pack, Carton, Roll, Set, etc.)	Х	Х
Quantity per unit	Х	Х
Quantity of units per carton	Х	
Total quantity shipped		Х
Total carton quantity		Х
Date of manufacture	Х	
Beginning and ending consecutive number (if applicable)	Х	
"SD" must be listed if package contains Secure Document	Х	
Short carton included (if applicable)		Х
Missing numbers list must be presented, in a separate document, at time of delivery	Х	Х

General:

- A single package or carton contents are limited to one item, order, or lot.
- Quantity shipped cannot exceed +-10% quantity ordered. (If overrun/underrun allowed)
- Carton weight cannot exceed 50lbs.
- Product in Gaylord containers is prohibited.
- All hazardous shipments must include the appropriate HMIS labeling and MSDS sheet.

Promotional Product:

- Promotional items must be labeled with Taylor SKU number for Unit of Issue (UOI).
- All shirts, sweaters, or other wearable items must come individually packaged with no mixing of color, size, gender, style within a carton. A TC item number must be listed on each exterior package. The Item number is specific to color, style, gender and size
 - o Items whose appearance may be negatively impacted by the addition of an item label may be bagged with the item number on bag.
- Promotional item descriptions must include color, size, gender, style, etc.
- Promotional items manufactured outside of the United States must have a certification of origin provided.

Product distributed in less than full cartons labeling requirements –Label Rolls (inside the core), Packs, etc. must be labeled with:

Package/Roll Quantity



Taylor Item Number
Taylor PO Number or Customer Order Number

Acceptable Pallet Sizes – Maximum Pallet Height is 56" (All Locations). For 3pl and distribution centers not listed please use 40" x 48" four-way pallets.

A = Preferred pallet sizes B = Other acceptable pallet sizes					
TC Warehouse	48" D x 36" W	48" D x 40" W	48" D x 42" W	51" D x X" W **	
Autobahn TX		Α		В	
Avon MA	В	Α			
Cranbury, NJ		В	Α		
Fresno CA	В	Α			
Grove City, OH	В	Α		В	
Jeffersonville, IN	В	Α			
Lakeland, FL	В	Α			
Lithia Springs GA	В	Α		В	
Omaha, NE	В	Α			
Phoenix, AZ	В	Α			
Seattle, WA	В	Α			

^{**}W: Width determined by 50" Roll Pro

Sample Documents



Document Links

- Taylor Corporate Brand Guidelines
- Taylor Corporation Single Carton Label
- Taylor Corporate 4-up Carton Label
- 3 of 9 Barcode font
- Taylor Corporation Packing Slip

Receiving Standards Supplement:

For all Taylor requirements, please see the Supplement document.

WAREHOUSE RECEIVING STANDARDS SUMMARY DST.843.002.W2 EFFECTIVE 5/28/2025



Revisions Record:

Electronic Approvals on File.

Date	Responsible Individual	Summary of Change
6/3/2019	Taylor Operations Distribution Team	Original
8/31/2023	Alan Jackson	Increased rework charge to \$35.00
5/02/2025	Michael McCoy	Updated acceptable pallet sizes
5/28/2025	Michael McCoy	Updated acceptable pallet sizes