



TAYLOR

PROMOTED STOCK LABEL PROGRAM

Exceptionally Engineered Labeling Solutions

A critical part of any enterprise label management program is leveraging stock labels to drive down cost in an easy-to-order program. When custom parts are necessary, we also have a proven three-step process (Organize, Analyze, Optimize) to deliver custom labels and drive cost out of enterprise label management programs. We'll recommend the best materials as well as equipment and processes to reduce cost, optimize product performance and enhance operational efficiency.

Organize

An experienced team of professionals conducts in-depth interviews surrounding your labeling environment. Particular emphasis is placed on:

- Performance requirements
- Agency compliance
- Supply chain challenges

Analyze

An expert team performs a detailed analysis of your performance requirements as well as an extensive examination of the various label materials in use. This team is focused on uncovering lean opportunities for cost reduction via:

- Material functional replacement
- Material and die size reductions
- Part elimination/SKU reduction
- Use of technology

A key part of the analytics is determining which stock items can be used to reduce cost, turn time and obsolescence. If custom items are needed, our experts will recommend the best materials for your specific needs.

Optimize

The outcome of the in-depth analysis is the identification of potential cost and risk reduction opportunities. These opportunities are organized into a formal report that details the current situation, the potential issue or opportunity, the suggested method to achieve the savings and the projected hard-dollar impact if implemented.

This catalog lists only the most common stock label sizes. We offer thousands of other stock labels. If you do not find the labels you need here, contact your Taylor sales representative.

01

02

03

04

05

06

07

08

DIRECT THERMAL	5
THERMAL TRANSFER	11
THERMAL TRANSFER RIBBONS	21
THERMAL PRINTERS & SUPPLIES	24
CUT-SHEET LASER & INKJET LABELS	27
INTEGRATED FORM-LABEL CONSTRUCTIONS	30
IMPACT/EDP/PIN-FED LABELS	32
PLACING ORDERS	34



01

DIRECT THERMAL

Fan-Fold – Direct Thermal	
High-Performance/All-Temperature Adhesive	6
Rolls – Direct Thermal	
High-Performance/All-Temperature Adhesive	7
Fan-Fold – Direct Thermal Permanent Adhesive	7
Rolls – Direct Thermal	
Permanent Adhesive – Linerless	7
Rolls – Direct Thermal Permanent Adhesive	8
Rolls – Colored Direct Thermal	
High-Performance/All-Temperature Adhesive	9
Rolls – Colored Direct Thermal Permanent Adhesive	9
Rolls – Direct Thermal Removable Adhesive	9

Direct Thermal

Direct thermal labels are made of a heat-sensitive material. These labels do not use a thermal ribbon; instead, thermal printheads make direct contact with the material for printing. Direct thermal labels are intended for a shorter life span as the image will fade with time.

Taylor offers an expansive selection of direct thermal labels in both standard and premium constructions. We offer a variety of label materials and adhesive specifications, including paper and film substrates, and permanent, removable and freezer-grade adhesives to fit any application.

Our direct thermal media has been tested to perform with popular printers including mobile printers. We offer direct thermal options and mobile media that fit any portable printer. We also offer custom direct thermal items if none of the stock items meet your needs.

Uncoated Direct Thermal Labels:

The material is an uncoated, medium-sensitivity product with excellent image quality. It is manufactured with a permanent acrylic adhesive. Since this product is uncoated, it should be tested by the end user for the specific application. It should not be used for applications that require extreme environmental resistance or exposure to damp, oily or greasy conditions.

Top-Coated Direct Thermal Labels:

The material is a top-coated, medium-sensitivity product with an all-temp/freezer grade, acrylic permanent adhesive. This product provides outstanding image quality. Since it is top-coated, it provides excellent results in most environmental conditions. Premium direct thermal gives improved UV light, heat, rub and scratch resistance.

It is recommended that any direct thermal product be tested in an end-user application before ordering production quantities.

Fan-Fold – Direct Thermal High-Performance/All-Temperature Adhesive *(Uncoated)*

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP1000	4 x 6	NA	NA	Perfed	2,000	2	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1001	4 x 2	NA	NA	Perfed	6,000	2	12,000	IN, PA, CA, GA, TX	Carton
TCPSLP1002	4 x 3	NA	NA	Perfed	4,000	2	8,000	IN, PA, CA, GA, TX	Carton
TCPSLP1003	4 x 6.5	NA	NA	Perfed	2,000	2	4,000	IN, PA, CA, GA, TX	Carton

Many thermal printers are capable of using fan-folded labels. Less time is spent changing labels since a stack of fan-folded labels has more labels than a standard 8" diameter roll.

Rolls – Direct Thermal High-Performance/All-Temperature Adhesive

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
Standard (No Top Coat)									
TCPSLP1012	4 x 6.5	3"	8"	Non-perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton
TCPSLP1006	4 x 4	3"	8"	Non-perfed	1,500	4	6,000	IN, PA, CA, GA, TX	Carton
TCPSLP1009	4 x 6	3"	8"	Non-perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1010	4 x 6	3"	12"	Non-perfed	2,900	2	5,800	IN, PA, CA, GA, TX	Carton
TCPSLP1004	4 x 2	3"	8"	Perfed	3,000	4	12,000	IN, PA, CA, GA, TX	Carton
TCPSLP1005	4 x 4	3"	8"	Perfed	1,500	4	6,000	IN, PA, CA, GA, TX	Carton
TCPSLP1007	4 x 3	3"	8"	Perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP1008	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1011	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton
Standard High-Performance (Top-Coated)									
TCPSLP1017	4 x 4	3"	8"	Non-perfed	1,500	4	6,000	IN, PA, CA, GA, TX	Carton
TCPSLP1019	4 x 6	3"	8"	Non-perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1013	4 x 2	3"	8"	Perfed	3,000	4	12,000	IN, PA, CA, GA, TX	Carton
TCPSLP1014	4 x 3	3"	8"	Perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP1015	3 x 5	3"	8"	Perfed	1,250	4	5,000	IN, PA, CA, GA, TX	Carton
TCPSLP1016	4 x 4	3"	8"	Perfed	1,500	4	6,000	IN, PA, CA, GA, TX	Carton
TCPSLP1018	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1020	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton

Fan-Fold – Direct Thermal Permanent Adhesive (Uncoated)

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP1059	4 x 6	NA	NA	Perfed	2,000	2	4,000	IN	Carton

Rolls – Direct Thermal Permanent Adhesive – Linerless

TC Item #	W x L	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP1026	4" x 85'	0.75"	2.375"	Non-perfed	1	1	1	OH, IL, NC, CA	Carton

Rolls – Direct Thermal Permanent Adhesive (Top-Coated)

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP1049	1.25 x 1	1"	4"	Perfed	1,375	12	16,500	OH	Carton
TCPSLP1050	2.25 x 1.25	1"	4"	Perfed	1,135	12	13,620	OH, AZ	Carton
TCPSLP1051	3 x 1.5	1"	4"	Perfed	960	12	11,520	OH	Carton
TCPSLP1052	4 x 1	1"	5"	Perfed	2,500	12	30,000	OH	Carton
TCPSLP1053	4 x 2	1"	5"	Perfed	1,320	12	15,840	OH	Carton
TCPSLP1054	4 x 4	1"	4"	Perfed	380	12	4,560	OH	Carton
TCPSLP1055	4 x 6	1"	4"	Perfed	250	12	3,000	AZ, WI	Carton
TCPSLP1047	4 x 6.75	1.5"	4"	Non-perfed	250	12	3,000	OH	Carton
TCPSLP1048	4 x 6.75	1"	3.75"	Non-perfed	250	12	3,000	OH	Carton
TCPSLP1027	2 x 2	1"	4"	Perfed	750	32	24,000	OH, IL, NC, CA	Carton
TCPSLP1028	3 x 1	1"	4"	Perfed	1,500	16	24,000	OH, IL, NC, CA	Carton
TCPSLP1029	3 x 2	1"	4"	Perfed	750	32	24,000	OH, IL, NC, CA	Carton
TCPSLP1030	4 x 2	1"	4"	Perfed	750	16	12,000	OH, IL, NC, CA	Carton
TCPSLP1031	4 x 2.5	1"	4"	Perfed	625	16	10,000	OH, IL, NC, CA	Carton
TCPSLP1032	4 x 3	1"	4"	Perfed	500	16	8,000	OH, IL, NC, CA	Carton
TCPSLP1033	4 x 6	1"	4"	Perfed	250	16	4,000	OH, IL, NC, CA	Carton
TCPSLP1034	4 x 6.5	1"	4"	Perfed	250	16	4,000	OH, IL, NC, CA	Carton
TCPSLP1035	4 x 8	1"	4"	Perfed	200	16	3,200	OH, IL, NC, CA	Carton
TCPSLP1037	2 x 2	3"	8"	Perfed	3,000	8	24,000	OH, IL, NC, CA	Carton
TCPSLP1038	3 x 1	3"	8"	Perfed	5,500	8	44,000	OH, IL, NC, CA	Carton
TCPSLP1039	3 x 2	3"	8"	Perfed	3,000	8	24,000	OH, IL, NC, CA	Carton
TCPSLP1040	3 x 5	3"	8"	Perfed	1,200	8	9,600	OH, IL, NC, CA	Carton
TCPSLP1041	4 x 2.5	3"	8"	Perfed	2,500	4	10,000	OH, IL, NC, CA	Carton
TCPSLP1042	4 x 3	3"	8"	Perfed	2,000	4	8,000	OH, IL, NC, CA	Carton
TCPSLP1043	4 x 4	3"	8"	Perfed	1,500	4	6,000	OH, IL, NC, CA	Carton
TCPSLP1044	4 x 8	3"	8"	Perfed	750	4	3,000	OH, IL, NC, CA	Carton
TCPSLP1060	3 x 0.938	3"	8"	Perfed	4,650	4	18,600	IN, CA	Carton
TCPSLP1061	4 x 2	3"	8"	Perfed	2,825	4	11,300	IN	Carton
TCPSLP1062	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP1063	4 x 6.5	3"	8"	Perfed	900	8	7,200	IN	Carton

Rolls — Colored Direct Thermal High-Performance/All-Temperature Adhesive *(Uncoated)*

TC Item #	PMS	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP1021	290	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1022	345	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1023	1495	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1024	2635	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP1025	Yellow	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton

Rolls — Colored Direct Thermal Permanent Adhesive *(Top-Coated)*

TC Item #	PMS	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP1056	Pantone Yellow	4 x 1	1"	4"	Perfed	1,375	12	16,500	OH	Carton
TCPSLP1057	292 Blue	4 x 3	1"	4"	Perfed	500	12	6,000	OH	Carton
TCPSLP1058	Pantone Yellow	4 x 3	1"	4"	Perfed	500	12	6,000	OH	Carton

Rolls — Direct Thermal Removable Adhesive *(Top-Coated)*

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP1046	2.25 x 1.25	1"	4"	Perfed	1,135	12	13,620	OH	Carton



THERMAL TRANSFER

Rolls – Thermal Transfer High-Performance/All-Temperature Adhesive	12
Fan-Fold – Thermal Transfer Permanent Adhesive	12
Rolls – Thermal Transfer Removable Adhesive	12
Rolls – Thermal Transfer Permanent Adhesive	13
Rolls – Colored Thermal Transfer Permanent Adhesive	14
UL® Certified Polyester Rolls	14
Polypropylene Rolls	14
Thermal Transfer Label and Ribbon Kits	15

Thermal Transfer

Thermal transfer labels use a thermal ribbon. Thermal printhead elements heat the reverse side of the thermal ribbon during printing, causing the ribbon material to melt and transfer to the label surface. These labels create permanent images that will not fade. Thermal transfer labels and tags are mostly used within the transport and logistics industry, but are also used for consumer durable labeling. Thermal transfer labels require a thermal transfer ribbon to print, but they offer a longer shelf life than direct thermal labels. We also kit ribbons with labels to optimize your process.

- Thermal transfer labels are white-coated, pressure-sensitive with permanent adhesive
- The thermal/thermal transfer materials are compatible with most thermal/transfer printers
- Testing is recommended
- All rolls are perfed between each label
- Orders are in full cartons
- All labels are wound facestock out

Thermal transfer labels are also available as a custom item.
Contact your Taylor sales representative for more details.

Rolls – Thermal Transfer High-Performance/All-Temperature Adhesive *(Top-Coated)*

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP2000	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP2001	4 x 2	3"	8"	Perfed	3,000	4	12,000	IN, PA, CA, GA, TX	Carton

Fan Fold – Thermal Transfer Permanent Adhesive *(Top-Coated)*

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP2066	4 x 2	NA	NA	Perfed	2,500	2	5,000	IN	Carton
TCPSLP2043	4 x 6	NA	NA	Perfed	2,000	2	4,000	IN, CA	Carton

Rolls – Thermal Transfer Removable Adhesive *(Top-Coated)*

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP2002	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton

Rolls — Thermal Transfer Permanent Adhesive (Top-Coated)

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP2041	2.25 x 1.25	1"	4"	Perfed	1,135	1	13,620	OH	Carton
TCPSLP2042	3.5 x 1	1"	4"	Perfed	1,375	12	16,500	OH	Carton
TCPSLP2003	1.5 x 1	3"	8"	Non-perfed	5,500	8	44,000	IN, PA, CA, GA, TX	Carton
TCPSLP2004	2 x 1	3"	8"	Non-perfed	11,000	4	44,000	IN, PA, CA, GA, TX	Carton
TCPSLP2005	2 x 1 (2-up)	3"	8"	Non-perfed	11,000	4	44,000	IN, PA, CA, GA, TX	Carton
TCPSLP2006	2 x 1.5	3"	8"	Non-perfed	3,500	8	28,000	IN, PA, CA, GA, TX	Carton
TCPSLP2007	3 x 2	3"	8"	Non-perfed	3,000	6	18,000	IN, PA, CA, GA, TX	Carton
TCPSLP2008	3 x 3	3"	8"	Non-perfed	1,900	6	11,400	IN, PA, CA, GA, TX	Carton
TCPSLP2009	3 x 5	3"	8"	Non-perfed	1,250	6	7,500	IN, PA, CA, GA, TX	Carton
TCPSLP2010	4 x 2	3"	8"	Non-perfed	3,000	4	12,000	IN, PA, CA, GA, TX	Carton
TCPSLP2011	4 x 2.5	3"	8"	Non-perfed	2,500	4	10,000	IN, PA, CA, GA, TX	Carton
TCPSLP2012	4 x 3	3"	8"	Non-perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP2013	4 x 4	3"	8"	Non-perfed	1,500	4	6,000	IN, PA, CA, GA, TX	Carton
TCPSLP2014	4 x 6	3"	8"	Non-perfed	1,000	4	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP2015	4 x 6.5	3"	8"	Non-perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton
TCPSLP2016	5 x 3	3"	8"	Non-perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP2052	5.188 x 7	3"	8"	Non-perfed	950	2	1,900	IN	Carton
TCPSLP2017	6 x 4	3"	8"	Non-perfed	1,500	4	6,000	IN, PA, CA, GA, TX	Carton
TCPSLP2029	4 x 6	3"	12"	Non-perfed	2,900	2	5,800	IN, PA, CA, GA, TX	Carton
TCPSLP2018	1.5 x 1	3"	8"	Perfed	5,500	8	44,000	IN, PA, CA, GA, TX	Carton
TCPSLP2019	2 x 1	3"	8"	Perfed	5,500	8	5,800	IN, PA, CA, GA, TX	Carton
TCPSLP2020	2 x 1 (2-up)	3"	8"	Perfed	11,000	4	44,000	IN, PA, CA, GA, TX	Carton
TCPSLP2021	2 x 1.4	3"	8"	Perfed	3,500	8	44,000	IN, PA, CA, GA, TX	Carton
TCPSLP2022	2 x 1.5 (2-up)	3"	8"	Perfed	7,000	4	44,000	IN, PA, CA, GA, TX	Carton
TCPSLP2023	2 x 2	3"	8"	Perfed	2,750	8	28,000	IN, PA, CA, GA, TX	Carton
TCPSLP2024	3 x 1	3"	8"	Perfed	5,500	6	28,000	IN, PA, CA, GA, TX	Carton
TCPSLP2025	3 x 1.5	3"	8"	Perfed	3,500	6	22,000	IN, PA, CA, GA, TX	Carton
TCPSLP2026	3.5 x 1	3"	8"	Perfed	5,500	6	33,000	IN, PA, CA, GA, TX	Carton
TCPSLP2044	3 x 2	3"	8"	Perfed	3,000	4	12,000	IN	Carton
TCPSLP2045	3 x 5	3"	8"	Perfed	1,150	4	4,600	IN	Carton
TCPSLP2027	4 x 1.5	3"	8"	Perfed	3,500	4	14,000	IN, PA, CA, GA, TX	Carton
TCPSLP2028	4 x 5	3"	8"	Perfed	1,250	4	5,000	IN, PA, CA, GA, TX	Carton
TCPSLP2046	4 x 1	3"	8"	Perfed	5,325	4	21,300	IN	Carton
TCPSLP2047	4 x 2	3"	8"	Perfed	2,825	4	11,300	IN	Carton
TCPSLP2048	4 x 3	3"	8"	Perfed	2,000	4	8,000	IN	Carton
TCPSLP2049	4 x 4	3"	8"	Perfed	1,500	4	6,000	IN	Carton
TCPSLP2050	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2051	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN	Carton
TCPSLP2053	4 x 8	3"	8"	Perfed	750	4	3,000	IN	Carton
TCPSLP2030	6 x 4	3"	8"	Perfed	1,500	4	6,000	IN, PA, CA, GA, TX	Carton

Rolls – Colored Thermal Transfer Permanent Adhesive (Top-Coated)

TC Item #	PMS	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP2031	345	4 x 3	3"	8"	Perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP2032	Yellow	4 x 3	3"	8"	Perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP2033	1495	4 x 3	3"	8"	Perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP2034	2635	4 x 3	3"	8"	Perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP2035	290	4 x 3	3"	8"	Perfed	1,900	4	7,600	IN, PA, CA, GA, TX	Carton
TCPSLP2055	345	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2056	802	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2054	Yellow	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2057	137	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2063	236	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2058	290	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2059	189	4 x 6	3"	8"	Perfed	1,000	4	4,000	IN	Carton
TCPSLP2037	345	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton
TCPSLP2036	Yellow	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton
TCPSLP2038	1495	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton
TCPSLP2040	2635	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton
TCPSLP2039	290	4 x 6.5	3"	8"	Perfed	900	4	3,600	IN, PA, CA, GA, TX	Carton

UL® Certified Polyester (Uncoated)

- These are thermal transfer printable and require high-performance resin ribbons
- 2 mil white polyester gloss TC with 0.8 mils permanent acrylic adhesive and a 3.2 mil (55#) densified kraft liner

TC Item #	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP2060	2 x 1	3"	7.2"	Perfed	5,000	1	5,000	OH, IL, NC, CA	Carton
TCPSLP2061	3 x 1	3"	7.2"	Perfed	5,000	1	5,000	OH, IL, NC, CA	Carton

Polypropylene Rolls

- A thermal transfer printable film for durability and outside UV resistance
- Matte finish

TC Item #	Top Coated	W (in.) x L (in.)	Core Size	OD	Perforation	Lbl/ Roll	Roll/ Case	Labels Per Case	Stocking Location	Unit of Measure
TCPSLP2062	No	4 x 6	3"	7.88"	Perfed	1,000	4	4,000	OH, IL, NC, CA	Carton
TCPSLP2065	Yes	3.875 x 2	3"	8"	Perfed	2,800	4	11,200	CA	Carton
TCPSLP2064	Yes	3.875 x 2	3"	8"	Perfed	2,800	4	11,200	CA	Carton

Thermal Transfer Label and Ribbon Kits

Within our thermal label kits, 4" x 6" rolls of labels and ribbons are matched perfectly for imaging and label to ribbon length. Each ribbon is matched to the specified printer and the associated label stock to ensure optimal imaging quality. Keep track of only one stock item to ensure you always have the same amount of labels and the ribbons you need to print them. You only get one invoice and shipping charge. All kitted labels below are 4" x 6".

TC Item #	Printer	Roll/ Fanfold	W x L (in.)	Core	OD	Perforation	Labels Per Roll/ Stack	Roll/ Stacks Per Case	Labels Per Case	Ribbons Per Case	Ribbon W x L	Stocking Location	Unit of Measure
Thermal Transfer Label and Ribbon Kits													
TCPSLP7001	Zebra	Roll	4 x 6	3"	8"	Perfed	1,200	4	4,800	2	4.33" x 1226'	OH, IL, NC, CA	Carton
TCPSLP7002	Datamax	Roll	4 x 6	3"	8"	Perfed	1,200	4	4,800	2	4.33" x 1226'	OH, IL, NC, CA	Carton





03

THERMAL TRANSFER RIBBONS

Zebra Industrial Printers	22
Intermec PM4i	22
Avery 6400 + TTX models	23
Monarch® - 9906	23

Thermal Transfer Ribbons

Taylor offers a variety of wax, wax-resin and resin-based thermal transfer ribbons specifically designed for printing on our stock thermal transfer labels. To achieve the optimal print quality, it is necessary to match the correct ribbon with the correct printer. In most cases and for standard print requirements, wax ribbons are efficient. For those projects requiring resistance towards chemicals on the printing surface, wax-resin thermal ribbons are highly suggested. **If you don't see the ribbon you want, call your sales representative or 800.926.7806 with your requirements.**

Our ribbons offer superior smudge and scratch resistance and unbeatable edge definition. They have excellent barcode ribbon scanability. To match the length of a thermal transfer ribbon to your labels, calculate the total length of your labels in feet. This will give you the length that you need (assume an extra 10% for scrap).

TC Item #	Ribbon Width (in.)	Ribbon Length (ft.)	Ribbon Width (MM)	Ribbon Length (M)	Rolls/Case	Case Weight/LBS	Stocking Location	Unit of Measure	Order in Increments of
Zebra Industrial Printers									
Wax									
TCPSLP8001	2.09	1476	53	450	24	16	NY	Ribbon	6
TCPSLP8002	4.33	1476	110	450	24	29	CA	Ribbon	12
TCPSLP8003	6.5	1476	165	450	12	24	NY	Ribbon	12
Wax/Resin									
TCPSLP8004	2.09	984	53	450	24	10	NY	Ribbon	24
TCPSLP8005	4.33	1476	110	450	24	25	NY, CA	Ribbon	6
TCPSLP8006	6.5	1476	165	450	12	20	NY	Ribbon	6
Resin									
TCPSLP8007	2.01	984	51	450	24	10	NY, CA	Ribbon	6
TCPSLP8008	4.33	1476	110	450	24	26	NY, CA	Ribbon	6
TCPSLP8009	6.5	1476	165	450	12	18	NY	Ribbon	6
Intermec PM4i									
Wax									
TCPSLP8010	2.09	1181	53	360	48	25	NY	Ribbon	12
TCPSLP8011	4.33	1181	110	360	24	25	NY, CA	Ribbon	12
TCPSLP8012	6.5	1181	165	360	12	19	NY	Ribbon	12
Wax/Resin									
TCPSLP8013	2.09	1181	53	360	48	22	NY	Ribbon	6
TCPSLP8014	4.33	1181	110	360	24	23	NY, CA	Ribbon	6
TCPSLP8015	6.5	1181	165	360	12	17	NY	Ribbon	6
Resin									
TCPSLP8016	2.09	1181	53	360	48	20	NY, CA	Ribbon	6
TCPSLP8017	4.33	1181	110	360	24	21	NY, CA	Ribbon	6
TCPSLP8018	6.5	1181	165	360	12	18	NY	Ribbon	6

TC Item #	Ribbon Width (in.)	Ribbon Length (ft.)	Ribbon Width (MM)	Ribbon Length (M)	Rolls/Case	Case Weight/LBS	Stocking Location	Unit of Measure	Order in Increments of
Avery 6400 + TTX Models									
Wax									
TCPSLP8019	2.09	1181	53	360	48	25	NY, CA	Ribbon	6
TCPSLP8020	4.33	1181	110	360	24	25	NY, CA	Ribbon	6
TCPSLP8030	6.5	1476	165	450	12	23	NY, CA	Ribbon	6
Wax/Resin									
TCPSLP8013	2.09	1181	53	360	48	22	NY	Ribbon	6
TCPSLP8014	4.33	1181	110	360	24	23	NY, CA	Ribbon	6
TCPSLP8015	6.5	1181	165	360	12	17	NY	Ribbon	6
Resin									
TCPSLP8016	2.09	1181	53	360	48	20	NY, CA	Ribbon	6
TCPSLP8017	4.33	1181	110	360	24	21	NY, CA	Ribbon	6
TCPSLP8018	6.5	1181	165	360	12	18	NY	Ribbon	6
Monarch® - 9906									
Wax									
TCPSLP8028	2.09	984	53	300	24	11	NY	Ribbon	6
TCPSLP8029	4.33	1476	110	450	24	30	NY, CA	Ribbon	6
TCPSLP8021	6.5	1476	165	450	24	24	NY, CA	Ribbon	6
Wax/Resin									
TCPSLP8004	2.09	984	53	300	24	10	NY	Ribbon	24
TCPSLP8005	4.33	1476	110	450	24	25	NY, CA	Ribbon	6
TCPSLP8006	6.5	1476	165	450	12	20	NY	Ribbon	6
Resin									
TCPSLP8007	2.01	984	51	300	24	10	NY, CA	Ribbon	6
TCPSLP8008	4.33	1476	110	450	24	26	NY, CA	Ribbon	6
TCPSLP8009	6.5	1476	165	450	12	18	NY	Ribbon	6

CAN'T FIND YOUR RIBBON?

The ribbons listed here are the most common sizes and colors.
Please call your Taylor sales representative for more options.

04

THERMAL PRINTERS & SUPPLIES

Thermal Printers & Supplies

24

Stock Labels Catalog



Thermal Printers & Supplies

We offer a wide variety of printing solutions for your packing and shipping operation. From high-volume to print-on-demand, our selection of printing equipment will meet your unique printing needs.

- Thermal printers
- Thermal printer supplies

We offer most major brands, including:

- Zebra
- Honeywell/Intermec/Datamax O'Neil/Sato
- Citizen
- TSC
- Cognitive/TPG
- Bixolon
- Primera
- Samsung
- Printronix

We support many more – if you don't see your printer here, call us.



Call your Taylor sales representative to discuss your specific printer needs.

Adam Olson – 937.221.3815

Walter Lipinsky – 937.221.2171



05

CUT-SHEET LASER & INKJET LABELS

Removable Adhesive	29
Permanent Adhesive	29


Cut-Sheet Laser and Inkjet Labels

Taylor offers a selection of competitively priced stock laser, inkjet and integrated labels. We also offer extensive custom capabilities to satisfy your unique applications.

Smudge-proof, pressure-sensitive paper material with a permanent adhesive is compatible with desktop laser printers, high-speed laser printers and inkjet printers.

Laser and inkjet labels are used for on-demand printing applications. Companies such as 3PL, manufacturers, hospitals, pharmacies and office supply outlets use these labels for different applications, ranging from shipping and address labels to patient identification and prescription labels. Laser labels are also ideal for CD and DVD labeling. Laser labels are made to print on laser printers, which use toner and heat to print on the labels.

- Orders are in full cartons
- 1,000 sheets per carton
- 250 per poly-wrapped pack, 4 packs per carton
- Weight per carton is: 8.5 x 11 = 27 lbs.
8.5 x 14 = 34 lbs.
- Smudge-proof, pressure-sensitive paper material with a permanent adhesive compatible with desktop laser printers, high-speed laser printers and inkjet printers




TCPSLP4017
8.5" x 11"
1-up

TCPSLP4018
8.5" x 5.5"
2-up

TCPSLP
4" x 5"
4-up

TCPSLP4010
4" x 2"
10-up



TCPSLP4019
2.625" x 1"
30-up

TCPSLP4020
2.6" x 1"
32-up

TCPSLP4021
2.83" x 1"
33-up

TCPSLP4022
2.625" x 0.75"
42-up

NOTE: No matrix removed. Drawings illustrate die cut shape and position.

TC Item #	No. Labels Across/Down	W x L (in.)	Labels Per Sheet	Sheet Size (in.)	Perforation	Sheets/Pk	Packs Per Case	Sheets Per Case	Labels Per Case	Stocking Location	Unit of Measure
Cut-Sheet Laser and Inkjet Labels											
Removable Adhesive											
TCPSLP4000	3/10	2.83 x 1	30	8.5 x 11	NA	100	10	1,000	30,000	IN, PA, CA, GA, TX	Pack
Permanent Adhesive											
TCPSLP4014	3/8	2.83 x 1.375	24	8.5 x 11	NA	250	4	1,000	24,000	IN, PA, CA, GA, TX	Carton
TCPSLP4005	3/7	2.83 x 1.5	21	8.5 x 11	NA	250	4	1,000	21,000	IN, PA, CA, GA, TX	Carton
TCPSLP4008	2/10	4 x 1	20	8.5 x 11	NA	250	4	1,000	20,000	IN, PA, CA, GA, TX	Carton
TCPSLP4009	2/7	4 x 1.33	14	8.5 x 11	NA	250	4	1,000	14,000	IN, PA, CA, GA, TX	Carton
TCPSLP4016	2/7	4.25 x 1.5	14	8.5 x 11	NA	250	4	1,000	14,000	IN, PA, CA, GA, TX	Carton
TCPSLP4010	2/5	4 x 2	10	8.5 x 11	NA	250	4	1,000	10,000	IN, PA, CA, GA, TX	Carton
TCPSLP4006	2/5	4.25 x 2	10	8.5 x 11	NA	250	4	1,000	10,000	IN, PA, CA, GA, TX	Carton
TCPSLP4011	2/3	4 x 3.33	6	8.5 x 11	NA	250	4	1,000	6,000	IN, PA, CA, GA, TX	Carton
TCPSLP4007	2/2	4.25 x 5.5	4	8.5 x 11	NA	250	4	1,000	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP4013	2/2	4 x 6	4	8.5 x 11	NA	250	4	1,000	4,000	IN, PA, CA, GA, TX	Carton
TCPSLP4017	1/1	8.5 x 11	1	8.5 x 11	NA	250	4	1,000	1,000	IN	Carton
TCPSLP4018	1/2	8.5 x 5.5	2	8.5 x 11	NA	250	4	1,000	2,000	IN	Carton
TCPSLP4019	3/10	2.625 x 1	30	8.5 x 11	NA	250	4	1,000	30,000	IN, CA	Carton
TCPSLP4021	3/11	2.83 x 1	33	8.5 x 11	NA	250	4	1,000	33,000	IN	Carton
TCPSLP4022	3/14	2.625 x 0.75	42	8.5 x 11	NA	250	4	1,000	42,000	IN	Carton
TCPSLP4020	8/4	2.6 x 1	32	8.5 x 11	NA	250	4	1,000	32,000	IN	Carton

INTEGRATED FORM-LABEL CONSTRUCTIONS




Integrated Form-Label Constructions

Unique peel-out labels make integrated label forms ideal for multifunction applications including pick/pack lists, warehousing/inventory, return merchandise, prescriptions and return address labels.

TC Item #	W x L (in.)	Sheet Size	Perforation	Labels Per Case	Stocking Location	Unit of Measure
Integrated Form-Labels – Cut-Sheet Laser and Inkjet Labels						
TCPSLP5000	3.5 x 2.75	8.5 x 11	Non-perfed	3,000	OH, IL, NC, CA	Carton
TCPSLP5001	4 x 2.5	8.5 x 11	Non-perfed	1,500	OH, IL, NC, CA	Carton
TCPSLP5002	4 x 2.5	8.5 x 11	Non-perfed	3,000	OH, IL, NC, CA	Carton
TCPSLP5003	4 x 6	8.5 x 11	Perfed	1,500	OH, IL, NC, CA	Carton
TCPSLP5004	6 x 4	8.5 x 11	Non-perfed	1,500	OH, IL, NC, CA	Carton
TCPSLP5005	7.5 x 5.1	8.5 x 11	Non-perfed	1,500	OH, IL, NC, CA	Carton

General Specifications:

- 24 lb. white bond paper with 2.5 mil liner
- 8.5 x 11 paper size
- General purpose permanent adhesive
- Bulk packed



Need a custom integrated label?

We can design and manufacture custom integrated sheets to meet your exact requirements.

07

IMPACT/EDP/ PIN-FED LABELS

Impact/EDP/Pin-Fed Labels

32

Stock Labels Catalog



Impact/EDP/Pin-Fed Labels

Dot matrix or impact printers remain a common method of imaging labels. Our pin-fed, impact/EDP labels are specifically designed to work with these types of printers.

Fan-Fold – Permanent Adhesive

- Mailing labels are a folded, white, smudge-proof and pressure-sensitive material with a permanent adhesive
- All items are perfed between each label
- Orders are in full cartons

TC Item #	W x L (in.)	Carrier Width (in.)	Fold Length	Perf Every	Labels Per Case	Stocking Location	Unit of Measure
Impact/EDP/Pin-Fed Labels							
TCPSLP3002	2.5 x 0.938	3.5	12"	1"	5,000	IN	Carton
TCPSLP3003	3.5 x 0.938	4.25	12"	1"	5,000	IN, CA	Carton
TCPSLP3008	3.5 x 0.938	11.5	12"	1"	15,000	IN, CA	Carton
TCPSLP3004	3.5 x 1.438	4.25	12"	1.5"	5,000	IN	Carton
TCPSLP3000	4 x 1.938	4.75	12"	2"	5,000	IN	Carton
TCPSLP3001	4 x 0.938	4.75	12"	1"	5,000	IN	Carton
TCPSLP3005	5 x 2.938	5.75	12"	3"	2,500	IN	Carton
TCPSLP3011	4 x 0.938 (3-up)	13	12"	1"	15,000	IN	Carton
TCPSLP3012	4 x 1.438	4.75	12"	1.5"	5,000	IN, CA	Carton
TCPSLP3013	4 x 2.438	4.75	10"	2.5"	5,000	IN	Carton
TCPSLP3014	4 x 2.938	4.75	12"	3"	5,000	IN	Carton

08

PLACING ORDERS

Placing Orders

34

Stock Labels Catalog



Placing Orders

Contact your local sales representative or call **800.926.7806**.

All orders are in full cartons.

Terms and Conditions

- \$50 minimum order. Items can be combined to meet the \$50 minimum order requirements.
- Prices subject to change without notice.
- Items may be discontinued without notice.
- Canceled orders are subject to a cancellation fee depending on the stage of the order.
- Return authorization:
 - No returns without authorization.
 - Please call our office to have the return authorized prior to returning the goods. There will be no credit issued without prior approval. The RA number must be listed on the outside of boxes and on the packing slip or they will be refused.
 - Returned merchandise must be in saleable condition. Taylor reserves the right to refuse to issue credit on returned damaged goods due to improper packaging.
 - NO RETURNS will be accepted after 90 days.
 - RA numbers are only good for 30 days.

CORPORATE IDENTITY & BRANDING	PROMO MARKETING	SIGNS & GRAPHICS	PRIME LABELS & PACKAGING
CUSTOMER COMMUNICATIONS MANAGEMENT	 <p>TAYLOR™</p> <p>POWER YOUR BRAND'S POTENTIAL</p>		MARKETING, DATA & ANALYTICS
LABELING SOLUTIONS	 <p>PrintStack™ The Operating Model for Print™</p>		DIRECT MAIL PROGRAMS
WAREHOUSING & DISTRIBUTION	DOCUMENT MANAGEMENT	COMMERCIAL PRINT	GIFT & LOYALTY

TAYLOR™

THANK YOU

Contact us for more information:

Labels Client Care Team

800.926.7806 | supplies@taylor.com

Shop online at supplies.taylor.com

1725 Roe Crest Drive, North Mankato, MN 56003

800.631.7644 | taylor.com

© 2023 Taylor #2892